

Contents of *Aquaculture*, Volume 261

VOL. 261 NO. 1

16 November 2006

Diseases

- Detection of *V. harveyi* in shrimp postlarvae and hatchery tank water by the Most Probable Number technique with PCR
S. Thaithongnum, P. Ratanama, K. Weerachaporn, A. Sukhoom and V. Vuddhakul (Hat Yai, Thailand) 1
- Pathological and PCR detection of mycobacteriosis in pond-cultured Chinese soft shell turtles, *Trionyx sinensis*
C.Y. Hsieh, T.C. Chang, Y.L. Shen, C.D. Chang (Pingtung, Taiwan), C. Tu (Taipei, Taiwan), M.C. Tung, L.C. Chen (Pingtung, Taiwan) and S.S. Tsai (Pingtung, Taiwan) 10
- Identification and phylogenetic analysis of *Vibrio vulnificus* isolated from diseased *Trachinotus ovatus* in cage mariculture
G. Li, D. Zhao, L. Huang, J. Sun, D. Gao, H. Wang, Y. Tan and L. Liang (Guangzhou, China) 17
- Distribution of a fish pathogen *Listonella anguillarum* in the Japanese flounder *Paralichthys olivaceus* hatchery
H. Mizuki, S. Washio (Kanagawa, Japan), T. Morita (Fukui, Japan), S. Itoi (Kanagawa, Japan) and H. Sugita (Kanagawa, Japan) 26
- Histopathology and a real-time PCR assay for detection of *Bonamia ostreae* in *Ostrea edulis* cultured in western Canada
G.D. Marty (Abbotsford, BC, Canada), S.M. Bower (Nanaimo, BC, Canada), K.R. Clarke (Abbotsford, BC, Canada), G. Meyer, G. Lowe (Nanaimo, BC, Canada), A.L. Osborn (Abbotsford, BC, Canada), E.P. Chow (Davis, CA, USA), H. Hannah, S. Byrne, K. Sojony and J.H. Robinson (Abbotsford, BC, Canada) 33
- Splenic cell line from sea bass, *Lates calcarifer*: Establishment and characterization
V. Parameswaran (Tamilnadu, India), R. Shukla, R.R. Bhande (Pune, India) and A.S. Sahul Hameed (Tamilnadu, India) 43
- Differential host passing alters pathogenicity and induces genomic variation in white spot syndrome virus
G. Waikhom, K.R. John, M.R. George and M.P. Jeyaseelan (Tamil Nadu, India) 54
- Development of monoclonal antibodies against VP28 of WSSV and its application to detect WSSV using immunocomb
M. Magesh (Chennai-7, India), A. Koteswaran (Chennai-51, India), N.D.J. Chandran, B. Murali Manohar and V. Ramasamy (Chennai-7, India) 64

Husbandry and Management

- Nile tilapia (*Oreochromis niloticus*) seed production in irrigated rice-fields in Northwest Bangladesh—an approach appropriate for poorer farmers?
B.K. Barman (Dhaka, Bangladesh) and D.C. Little (Scotland, UK) 72
- Impact of high water carbon dioxide levels on Atlantic salmon smolts (*Salmo salar* L.): Effects on fish performance, vertebrae composition and structure
L. Gil Martens (Stavanger, Norway), P.E. Witten (Sunndalsøra, Norway), S. Fivelstad (Bergen, Norway), A. Huysseune (Ghent, Belgium), B. Sævereid, V. Vikeså and A. Obach (Stavanger, Norway) 80
- Investigating fragment size for culturing reef-building corals (*Porites lobata* and *P. compressa*) in *ex situ* nurseries
Z.H. Forsman (Honolulu, HI, USA), B. Rinkevich (Haifa, Israel) and C.L. Hunter (Honolulu, HI, USA) 89
- Nitrogen and phosphorus budgets during a farming cycle of the Manila clam *Ruditapes philippinarum*: An *in situ* experiment
D. Nizzoli, M. Bartoli and P. Viaroli (Parma, Italy) 98
- Compensatory growth and fillet crude composition in juvenile Atlantic halibut: Effects of short term starvation periods and subsequent feeding
A. Heide, A. Foss, S.O. Stefansson, I. Mayer (Bergen, Norway), B. Norberg (Storebø, Norway), B. Roth (Bergen, Norway), M.D. Jenssen (Oslo, Norway), R. Nortvedt (Bergen, Norway) and A.K. Imslund (Bergen, Norway; Kópavágur, Iceland) 109
- Modeling optimal dietary pigmentation strategies in farmed Atlantic salmon: Application of mixed-integer non-linear mathematical programming techniques
O.I. Forsberg (Ås, Norway; Norway) and A.G. Guttormsen (Ås, Norway) 118

Sedimentation from mussel (<i>Perna canaliculus</i>) culture in the Firth of Thames, New Zealand: Impacts on sediment oxygen and nutrient fluxes H. Giles, C.A. Pilditch and D.G. Bell (Hamilton, New Zealand)	125
Performance of different types of diets on experimental larval rearing of endangered <i>Chitala chitala</i> (Hamilton) in recirculatory system U.K. Sarkar, W.S. Lakra, P.K. Deepak, R.S. Negi, S.K. Paul and A. Srivastava (Uttar Pradesh, India)	141
Simulating the economic viability of Nile tilapia and Australian redclaw crayfish polyculture in Yucatan, Mexico D. Ponce-Marbán (Yucatán, México), J.M. Hernández (Las Palmas de Gran Canaria, España) and E. Gasca-Leyva (Yucatán, México)	151
Food inputs, water quality and nutrient accumulation in integrated pond systems: A multivariate approach D.K. Nhan (Can Tho, Vietnam; Wageningen AH, The Netherlands), A. Milstein (Israel), M.C.J. Verdegem and J.A.V. Verreth (Wageningen AH, The Netherlands)	160
Nutrition	
Element concentrations in meals from krill and amphipods, — Possible alternative protein sources in complete diets for farmed fish M. Moren (Bergen, Norway), J. Suontama (Matredal, Norway), G.-I. Hemre (Bergen, Norway), Ø. Karlén (Storebø, Norway), R.E. Olsen (Matredal, Norway), H. Mundheim (Fyllingsdalen, Norway) and K. Julshamn (Bergen, Norway)	174
Effects of the partial substitution of dietary fish meal by differently processed soybean meals on growth performance, nutrient digestibility and activity of intestinal brush border enzymes in the European sea bass (<i>Dicentrarchus labrax</i>) E. Tibaldi (Pagnacco (UD), Italy), Y. Hakim (Bet Dagan, Israel), Z. Uni (Rehovot, Israel), F. Tulli, M. de Francesco (Pagnacco (UD), Italy), U. Luzzana (VR, Italy) and S. Harpaz (Bet Dagan, Israel)	182
Comparison of conventional and molecular techniques to investigate the intestinal microflora of rainbow trout (<i>Oncorhynchus mykiss</i>) M.J. Pond, D.M. Stone and D.J. Alderman (U.K.)	194
Effect of dietary HUFA on reproductive performance, tissue fatty acid profile and desaturase and elongase mRNAs in female swordtail <i>Xiphophorus helleri</i> S. Ling, M.-K. Kuah, T.S. Tengku Muhammad (Penang, Malaysia), S. Kolkovski (Fremantle, Western Australia) and A.C. Shu-Chien (Penang, Malaysia)	204
Astaxanthin digestibility as affected by ration levels for Atlantic salmon, <i>Salmo salar</i> T. Ytrestøl (Sunndalsøra, Norway), G. Struksnæs (Stavanger, Norway), K.-A. Rørvik (Ås, Norway), W. Koppe (Stavanger, Norway) and B. Bjerkeng (Sunndalsøra, Norway)	215
Composition in essential and non-essential elements of early stages of cephalopods and dietary effects on the elemental profiles of <i>Octopus vulgaris</i> paralarvae R. Villanueva (Barcelona, Spain) and P. Bustamante (La Rochelle, France)	225
Digestibility of diets containing different soybean meals in Atlantic cod (<i>Gadus morhua</i>); comparison of collection methods and mapping of digestibility in different sections of the gastrointestinal tract O. Førde-Skjærvi (CoE, Norway), S. Refstie (CoE, Sunndalsøra, Norway), M.A. Aslaksen (CoE, Norway) and A. Skrede (CoE, Ås, Norway)	241
Effects of soybean meal based diet on growth performance, gut histopathology and intestinal microbiota of juvenile rainbow trout (<i>Oncorhynchus mykiss</i>) J. Heikkinen (Kuopio, Finland), J. Vielma (Jyväskylä, Finland), O. Kemiläinen (Kuopio, Finland), M. Tiitola, P. Eskelinen (Jyväskylä, Finland), T. Kiuru (Laukaa, Finland), D. Navia-Paldanius and A. von Wright (Kuopio, Finland)	259
Digestive capacity, intestinal morphology, and microflora of 1-year and 2-year old Atlantic cod (<i>Gadus morhua</i>) fed standard or bioprocessed soybean meal S. Refstie (CoE, Sunndalsøra, Norway), T. Landsverk, A.M. Bakke-McKellep (CoE, Oslo, Norway), E. Ringø (CoE, Tromsø, Norway), A. Sundby (CoE, Oslo, Norway), K.D. Shearer (Seattle, WA, USA) and A. Krogdahl (CoE, Oslo, Norway)	269
Isolation of the non-fastidious microalgae with astaxanthin-accumulating property and its potential for application to aquaculture K. Fujii, E. Imazato, H. Nakashima (Yamaguchi, Japan), O. Ooi and A. Saeki (Ube, Japan)	285
Dietary fat type affects lipid metabolism in Atlantic salmon (<i>Salmo salar</i> L.) and differentially regulates glucose transporter GLUT4 expression in muscle D. Menoyo, A. Diez, C.J. Lopez-Bote, S. Casado (Madrid, Spain), A. Obach (Stavanger, Norway) and J.M. Bautista (Madrid, Spain)	294
Size-fractionated fish hydrolysate as feed ingredient for rainbow trout (<i>Oncorhynchus mykiss</i>) fed high plant protein diets. I: Growth, growth regulation and feed utilization A. Aksnes, B. Hope (Bergen, Norway), E. Jönsson, B.T. Björnsson (Göteborg, Sweden) and S. Albrektsen (Bergen, Norway)	305
Size-fractionated fish hydrolysate as feed ingredient for rainbow trout (<i>Oncorhynchus mykiss</i>) fed high plant protein diets. II: Flesh quality, absorption, retention and fillet levels of taurine and anserine A. Aksnes, B. Hope and S. Albrektsen (Bergen, Norway)	318
Effects of dietary vitamin C on survival, growth, and immunity of large yellow croaker, <i>Pseudosciaena crocea</i> Q. Ai, K. Mai, B. Tan, W. Xu, W. Zhang, H. Ma and Z. Liufu (Qingdao, P.R. China)	327

Enrichment of channel catfish (<i>Ictalurus punctatus</i>) fillets with conjugated linoleic acid and omega-3 fatty acids by dietary manipulation B.B. Manning, M.H. Li, E.H. Robinson and B.C. Peterson (Stoneville, MS, USA)	337
Effects of extrusion and inclusion level of soybean meal on diet digestibility, performance and nutrient utilization of gilthead sea bream (<i>Sparus aurata</i>) B. Venou, M.N. Alexis, E. Fountoulaki and J. Haralabous (Athens, Greece)	343
Effects of diets containing a bacterial protein meal on growth and feed utilisation in rainbow trout (<i>Oncorhynchus mykiss</i>) T.S. Aas (Sunndalsøra, Norway), B. Hatlen (Sunndalsøra, CoE, Norway), B. Gridale-Helland, B.F. Terjesen, A.M. Bakke-McKellep (CoE, Oslo, Norway) and S.J. Helland (Sunndalsøra, CoE, Norway)	357
Protein and lysine requirements for maintenance and for tissue accretion in Atlantic salmon (<i>Salmo salar</i>) fry T. Abboudi (Louvain-la-Neuve, Belgium), M. Mambrini (Jouy-en-Josas, France), W. Ooghe (Gent, Belgium), Y. Larondelle and X. Rollin (Louvain-la-Neuve, Belgium)	369
Juvenile coho (<i>Oncorhynchus kisutch</i>) can utilize a wide range of protein and lipid levels without impacts on production characteristics S.R. Craig (Blacksburg, VA, USA), M.H. Schwarz (Hampton, VA, USA) and E. McLean (Blacksburg, VA, USA)	384
Capacity for digestive hydrolysis and amino acid absorption in Atlantic salmon (<i>Salmo salar</i>) fed diets with soybean meal or inulin with or without addition of antibiotics S. Refstie (CoE, Sunndalsøra, Norway), A.M. Bakke-McKellep, M.H. Penn, A. Sundby (CoE, Oslo, Norway), K.D. Shearer (Seattle, WA, USA) and A. Krogdahl (CoE, Oslo, Norway)	392
Effects of dehydrated methanol extracts of moringa (<i>Moringa oleifera</i> Lam.) leaves and three of its fractions on growth performance and feed nutrient assimilation in Nile tilapia (<i>Oreochromis niloticus</i> (L.)) E. Dongmeza, P. Siddhuraju, G. Francis and K. Becker (Stuttgart, Germany)	407
The effect of nitrate supplementation on the biochemical composition of benthic diatoms and the growth and survival of post-larval abalone I. Uriarte (Chile), R. Roberts (Nelson, New Zealand) and A. Farias (Chile)	423
Fatty acid composition of New Zealand green-lipped mussels, <i>Perna canaliculus</i> : Implications for harvesting for n-3 extracts A.G. Taylor and C. Savage (Dunedin, New Zealand)	430
Evaluation of krill (<i>Euphausia superba</i>) meal as a partial replacement for fish meal in rainbow trout (<i>Oncorhynchus mykiss</i>) diets B. Yoshitomi (Tokyo, Japan), M. Aoki, S.-i. Oshima (Kochi, Japan) and K. Hata (Tokyo, Japan)	440

VOL. 261 NO. 2

24 November 2006

Review article

Review of recent carrying capacity models for bivalve culture and recommendations for research and management C.W. McKindsey (Mont-Joli, QC, Canada), H. Thetmeyer (Kiel, Germany), T. Landry (Moncton, NB, Canada) and W. Silvert (Faro, Portugal)	451
--	-----

Genetics

AFLP-based genetic linkage map of marine shrimp <i>Penaeus (Fenneropenaeus) chinensis</i> Z. Li, J. Li, Q. Wang, Y. He and P. Liu (Qingdao, PR China)	463
Mugil curema in Argentinean waters: Combined morphological and molecular approach S. Heras (Girona, Spain), M. González Castro (Argentina) and M.I. Roldán (Girona, Spain)	473
Heritability estimates and response to selection for growth of Nile tilapia (<i>Oreochromis niloticus</i>) in low-input earthen ponds H. Charo-Karisa (Wageningen, The Netherlands), Abou Hammad, Egypt, H. Komen (Wageningen, The Netherlands), M.A. Rezk (Abou Hammad, Egypt), R.W. Ponzoni (Penang, Malaysia), J.A.M. van Arendonk and H. Bovenhuis (Wageningen, The Netherlands)	479
Fish and seafood traceability based on AFLP markers: Elaboration of a species database M. Maldini, F. Nonnis Marzano (Parma, Italy), G.G. Fortes (Parma, Italy; Lugo, Spain), R. Papa and G. Gandolfi (Parma, Italy)	487
Cross-mating of euryhaline rotifer <i>Brachionus plicatilis</i> strains as a means to develop useful strains for larval fish food T. Kotani (Hiroshima, Japan), K. Ihara and A. Hagiwara (Nagasaki, Japan)	495
Optimization of experimental infection protocols for the estimation of genetic parameters of resistance to White Spot Syndrome Virus (WSSV) in <i>Penaeus (Litopenaeus) vannamei</i> T. Gitterle (Bogotá, Colombia), B. Gjerd (Ås, Norway), J. Cock, M. Salazar (Bogotá, Colombia), M. Rye (Sundalsøra, Norway), O. Vidal, C. Lozano, C. Erazo (Bogotá, Colombia) and R. Salte (Ås, Norway)	501
Fat or lean? The quantitative genetic basis for selection strategies of muscle and body composition traits in breeding schemes of rainbow trout (<i>Oncorhynchus mykiss</i>) D. Tobin (Aberdeen, UK), A. Kause, E.A. Mäntysaari (Jokioinen, Finland), S.A.M. Martin, D.F. Houlihan, A. Dobly (Aberdeen, UK), A. Kiessling, K. Rungruangsak-Torrisen (Matredal, Norway), O. Ritola (Tervo, Finland) and K. Ruohonen (Turku, Finland)	510

Effects of genotype \times environment interactions on the selection of broadly adapted Pacific oysters (<i>Crassostrea gigas</i>) S. Evans and C. Langdon (Newport, OR, USA)	522
Quantitative genetics and heritability of growth-related traits in hybrid striped bass (<i>Morone chrysops</i> \times <i>Morone saxatilis</i>) X. Wang (College Station, TX, USA), K.E. Ross (Adelaide, SA, Australia), E. Saillant, D.M. Gatlin III and J.R. Gold (College Station, TX, USA)	535
Direct and indirect responses to selection on individual body weight in the Pacific oyster (<i>Crassostrea gigas</i>) S. Evans and C. Langdon (Newport, OR, USA)	546
Genetic comparison of experimental farmed strains and wild Icelandic populations of Atlantic cod (<i>Gadus morhua</i> L.) C. Pampoulie, T.D. Jörundsdóttir, A. Steinarsson, G. Pétursdóttir, M.Ö. Stefánsson and A.K. Danielsdóttir (Reykjavik, Iceland)	556
Nutrition	
Seasonal variations in muscle growth dynamics and selected quality attributes in Atlantic halibut (<i>Hippoglossus hippoglossus</i> L.) fed dietary lipids containing soybean and/or herring oil under different rearing regimes T. Haugen (Bergen, Norway), A. Kiessling (Bergen, Aas, Norway), R.E. Olsen (Bergen, Norway), M.B. Rørå (Aas, Norway), E. Slinde and R. Nortvedt (Bergen, Norway)	565
Influence of dietary soybean meal levels on growth, feed utilization and gut histology of Egyptian sole (<i>Solea aegyptiaca</i>) juveniles A. Bonaldo (Bologna, Italy), A.J. Roem (Amersfoort, The Netherlands), A. Pecchini (Mozzecane (Verona), Italy), E. Grilli and P.P. Gatta (Bologna, Italy)	580
Amino acid profiles of <i>Diplodus sargus</i> (L., 1758) larvae: Implications for feed formulation M. Saavedra (Olhão, Portugal), L.E.C. Conceição (Faro, Portugal), P. Pousão-Ferreira (Olhão, Portugal) and M.T. Dinis (Faro, Portugal)	587
Selective particle feeding by the Chilean oyster, <i>Ostrea chilensis</i> ; implications for nursery culture and broodstock conditioning B.J. Dunphy (Auckland, New Zealand), J.A. Hall (Hamilton, New Zealand), A.G. Jeffs (Auckland, Hamilton, New Zealand) and R.M.G. Wells (Auckland, New Zealand)	594
Hyper dense vertebrae and mineral content in Atlantic salmon (<i>Salmo salar</i> L.) fed diets with graded levels of phytic acid S. Helland (Sunndalsøra, Norway), V. Denstadli (Ås, Norway), P.E. Witten (Sunndalsøra, Norway; Halifax NS, Canada), K. Hjelde (Sunndalsøra, Norway), T. Storebakken, A. Skrede (Ås, Norway), T. Åsgård and G. Baeverfjord (Sunndalsøra, Norway)	603
Activity of digestive enzymes along the gut of juvenile red abalone, <i>Haliotis rufescens</i> , fed natural and balanced diets Z. Garcia-Esquivel (Ensenada, México) and H. Felbeck (La Jolla, CA, United States)	615
Growth, feed efficiency, digestibility and nutrient distribution in Atlantic cod (<i>Gadus morhua</i>) fed two different fish meal qualities at three dietary levels of vegetable protein sources S. Albrektsen, H. Mundheim and A. Aksnes (Bergen, Norway)	626
Effects of dietary supplementation of carotenoids on survival, growth, pigmentation, and antioxidant capacity of characins, <i>Hyphessobrycon callistus</i> Y.-J. Wang, Y.-H. Chien and C.-H. Pan (Taiwan, PR China)	641
Suitability of the copepod, <i>Acartia clausi</i> as a live feed for Seabass larvae (<i>Lates calcarifer</i> Bloch): Compared to traditional live-food organisms with special emphasis on the nutritional value M. Rajkumar and K.P. Kumarguru vasagam (Tamil Nadu, India)	649
Effects of naupliar density, product concentration and product dosage on the survival of the nauplii and EPA incorporation during <i>Artemia</i> enrichment with liposomes O. Monroig, J.C. Navarro, F. Amat (Castellón, Spain), P. González (Barcelona, Spain) and F. Hontoria (Castellón, Spain)	659
Physiology and Endocrinology	
Routes of water loss in South African abalone (<i>Haliotis midae</i>) during aerial exposure A. Vosloo and D. Vosloo (Potchefstroom, South Africa)	670
Ammonia toxicity and its effect on the growth of the South African abalone <i>Haliotis midae</i> Linnaeus K. Reddy-Lopata, L. Auerswald (Rondebosch, South Africa) and P. Cook (Albany, WA, Australia)	678
Morphological and biochemical changes in the muscle of the marine shrimp <i>Litopenaeus vannamei</i> during the molt cycle J.R. de Oliveira Cesar, B. Zhao, S. Malecha, H. Ako and J. Yang (Honolulu, HI, United States)	688
Automated image analysis as a tool to quantify the colour and composition of rainbow trout (<i>Oncorhynchus mykiss</i> W.) cutlets L. Helge Stien (Bergen, Matredal, Norway), F. Manne (Bergen, Norway), K. Ruohonen (Turku, Finland), A. Kause (Jokioinen, Finland), K. Rungruangsak-Torrissen and A. Kiessling (Matredal, Norway)	695
Determinism of the induction of the reproductive cycle in female Eurasian perch, <i>Perca fluviatilis</i> : Identification of environmental cues and permissive factors N. Wang, J.-N. Gardeur (Nancy, France), E. Henrotte (Namur, Belgium), M. Marie (Nancy, France), P. Kestemont (Namur, Belgium) and P. Fontaine (Nancy, France)	706
Impact of smolt production strategy on vertebral growth and mineralisation during smoltification and the early seawater phase in Atlantic salmon (<i>Salmo salar</i> , L.) P.G. Fjellidal (Matredal, Norway), E.-J. Lock (Nijmegen, The Netherlands), S. Grotmol, G.K. Totland (Bergen, Norway), U. Nordgarden (Matredal, Norway), G. Flik (Nijmegen, The Netherlands) and T. Hansen (Matredal, Norway)	715

Seasonal variations of physiological parameters in the blue mussel <i>mytilus</i> spp. from farm sites of eastern Quebec N. Lemaire, J. Pellerin (Rimouski, Qc., Canada), M. Fournier (Pointe-Claire, Qc., Canada), L. Girault, E. Tamigneaux (Grande-Rivière, Qc., Canada), S. Cartier and E. Pelletier (Rimouski, Qc., Canada)	729
Reproductive cycle and biochemical composition of the Zhe oyster <i>Crassostrea plicatula</i> Gmelin in an eastern coastal bay of China Q. Li, W. Liu (Qingdao, China), K. Shirasu, W. Chen (Saiki, Japan) and S. Jiang (Rushan, China)	752
Semen biology and stimulation of milt production in the European smelt (<i>Osmerus eperlanus</i> L.) R.K. Kowalski (Olsztyn, Poland), P. Hliwa (Olsztyn-Kortowo, Poland), A. Andronowska (Olsztyn, Poland), J. Król (Olsztyn-Kortowo, Poland), G.J. Dietrich, M. Wojtczak (Olsztyn, Poland), R. Stabiński (Suwałki, Poland) and A. Ciereszko (Olsztyn, Poland)	760
<i>In vivo</i> gonadotropic effects of recombinant Japanese eel follicle-stimulating hormone H. Kamei, T. Kaneko and K. Aida (Tokyo, Japan)	771
Selection for improved stress tolerance in rainbow trout (<i>Oncorhynchus mykiss</i>) leads to reduced feed waste Ø. Øverli (Aas, Norway), C. Sørensen (Aas, Oslo, Norway), A. Kiessling (Aas, Norway), T.G. Pottinger (Lancaster, United Kingdom) and H.M. Gjoen (Aas, Norway)	776
Do protein hydrolysates improve survival and growth of newly-hatched spotted wolffish (<i>Anarhichas minor</i>), a non-metamorphic aquaculture fish species? A. Savoie, N.R. Le François (Grande-Rivière, QC, Canada), C. Cahu (Plouzané, France), P.U. Blier (Grande-Rivière, QC, Canada) and I. Andreassen (Vangsvik, Norway)	782
Disruption of gonadal maturation in cultured Senegalese sole <i>Solea senegalensis</i> Kaup by continuous light and/or constant temperature regimes A. García-López, E. Pascual, C. Sarasquete and G. Martínez-Rodríguez (Cádiz, Spain)	789

Short communications

Influence of disc content on zone sizes obtained in standard disc diffusion antimicrobial susceptibility tests P. Smith, E. O'Meara and D. McNulty (Galway, Ireland)	799
Short-chain fatty acids protect gnotobiotic <i>Artemia franciscana</i> from pathogenic <i>Vibrio campbellii</i> T. Defoirdt, D. Halet, P. Sorgeloos, P. Bossier and W. Verstraete (Gent, Belgium)	804
Fish farming effects on local fisheries landings in oligotrophic seas A. Machias, M. Giannoulaki, S. Somarakis (Iraklion, Greece), C.D. Maravelias, C. Neofitou (Magnissias, Greece), D. Koutsoubas (Lesvos, Greece), K.N. Papadopoulou and I. Karakassis (Iraklion, Greece)	809
First feeding of <i>Octopus vulgaris</i> Cuvier, 1797 paralarvae using <i>Artemia</i> : Effect of prey size, prey density and feeding frequency J. Iglesias, L. Fuentes, J. Sánchez, J.J. Otero, C. Moxica and M.J. Lago (Vigo, Spain)	817

Corrigenda

Corrigendum to "GnRHa-accelerated spermatogenesis in the testes of underyearling golden rabbitfish, <i>Siganus guttatus</i> (Bloch)" [Aquaculture 257 (2006) 558 – 565] T. Komatsu (Okinawa, Japan), R.K. Bhandari (Okinawa, Aichi, Japan), Y. Kobayashi, S. Nakamura (Okinawa, Japan) and M. Nakamura (Okinawa, Saitama, Japan)	823
Corrigendum to "Comparison of red chilli (<i>Capsicum annuum</i>) oleoresin and astaxanthin on rainbow trout (<i>Oncorhynchus mykiss</i>) fillet pigmentation" [Aquaculture 258 (2006) 487–495] G.I. de la Mora (Delegación Benito Jurez, México), J.L. Arredondo-Figueroa (Iztapalapa, México), J.T. Ponce-Palafox (Morelos, México), I. de los Angeles Barriga-Sosa and J.E. Vernon-Carter (Iztapalapa, México)	825

VOL. 261 NO. 3

1 December 2006

Diseases

Characterisation of the microbiota associated with intestine of Atlantic cod (<i>Gadus morhua</i> L.): The effect of fish meal, standard soybean meal and a bioprocessed soybean meal E. Ringø, S. Sperstad, (Tromsø, Norway) R. Myklebust (Norway), S. Refstie (Sunndalsøra, Norway) and Å. Krogdahl (Oslo, Norway)	829
Effect of high water temperature (33 °C) on the clinical and virological outcome of experimental infections with white spot syndrome virus (WSSV) in specific pathogen-free (SPF) <i>Litopenaeus vannamei</i> M.M. Rahman, C.M. Escobedo-Bonilla, M. Corteel, J.J. Dantas-Lima, M. Wille (Ghent, Belgium), V.A. Sanz (Dendermonde, Belgium), M.B. Pensart (Belgium), P. Sorgeloos (Ghent, Belgium) and H.J. Nauwynck (Belgium)	842
<i>Pseudomonas putida</i> infection in rainbow trout I. Ahinok, S. Kayis and E. Capkin (Trabzon, Turkey)	850
<i>In vivo</i> and <i>in vitro</i> treatments against <i>Sparicotyle chrysophrii</i> (Monogenea: Microcotylidae) parasitizing the gills of gilthead sea bream (<i>Sparus aurata</i> L.) A. Sitjà-Bobadilla, M.C. de Felipe and P. Alvarez-Pellitero (Castellón, Spain)	856

Genetics

- Genetic characterizations of *Macra veneriformis* (Bivalve) along the Chinese coast using ISSR-PCR markers
L. Hou, H. Lü, X. Zou, X. Bi, D. Yan and C. He (Dalian, China) 865

Husbandry and Management

- Effect of temperature on growth and energy budget of juvenile cobia (*Rachycentron canadum*)
L. Sun, H. Chen and L. Huang (Guangdong, PR China) 872
- Association between longline design and mussel productivity in Prince Edward Island, Canada
A. Drapeau (Charlottetown, Prince Edward Island, Canada), L.A. Comeau, T. Landry (Moncton, New Brunswick, Canada), H. Stryhn and J. Davidson (Charlottetown, Prince Edward Island, Canada) 879
- Intensive production of juvenile tiger shrimp *Penaeus monodon*: An evaluation of stocking density and artificial substrates
S.J. Arnold, M.J. Sellars, P.J. Crocos and G.J. Coman (Cleveland, Queensland, Australia) 890
- Cryoprotectant microinjection toxicity and chilling sensitivity in gilthead seabream (*Sparus aurata*) embryos
J. Beirão, V. Robles (Faro, Portugal), M.P. Herráez (León, Spain), C. Sarasquete (Cádiz, Spain), M.T. Dinis and E. Cabrita (Faro, Portugal) 897
- Effect of varying density and water level on the spawning response of African catfish *Clarias gariepinus*: Implications for seed production
G.O. El Naggar, G. John, M.A. Rezk, W. Elwan and M. Yehia (Sharkia, Egypt) 904
- Morphological characterization of larval stages and first juvenile of the freshwater prawn *Cryphiops caementarius* (Molina, 1782) (Decapoda: Palaemonidae) under laboratory conditions
M.C. Morales (Coquimbo, Chile), M. Rivera, J. Meruane, C. Galleguillos and H. Hosokawa (Nankoku, Japan) 908
- Productivity and photosynthetic efficiency of outdoor cultures of *Tetraselmis suecica* in annular columns
G. Chini Zittelli, L. Rodolfi, N. Biondi and M.R. Tredici (Firenze, Italy) 932
- Chilled storage of white shrimp (*Litopenaeus vannamei*) spermatophores
S. Nimrat, S. Siriboonlamom (Chonburi, Thailand), S. Zhang, Y. Xu (Qingdao, PR China) and V. Vuthiphandchai (Chonburi, Thailand) 944
- Density dependent ambient ammonium as the key factor for optimization of stocking density of common carp in small holding tanks
J.K. Biswas, D. Sarkar, P. Chakraborty, J.N. Bhakta and B.B. Jana (West Bengal, India) 952
- Effect of dietary cyanobacteria on growth and accumulation of microcystins in Nile tilapia (*Oreochromis niloticus*)
M. Zhao (Hubei, Beijing, China), S. Xie (Hubei, Shanghai, China), X. Zhu, Y. Yang, N. Gan and L. Song (Hubei, China) 960
- Characterization of Senegalese sole, *Solea senegalensis*, male broodstock in terms of sperm production and quality
E. Cabrita, F. Soares and M.T. Dinis (Faro, Portugal) 967
- An integrated pest management program for burrowing shrimp control in oyster aquaculture
B.R. Dumbauld (Newport, Oregon, USA), S. Booth, D. Cheney, A. Suhrbier and H. Beltran (Olympia, Washington, USA) 976
- The influence of water temperature on spawning patterns and egg quality in the Atlantic halibut (*Hippoglossus hippoglossus* L.)
N.P. Brown (Franklin, Maine, USA), R.J. Shields (Swansea, UK) and N.R. Bromage (Franklin, Maine, USA) 993
- Alternative pathways in the life history of *Gracilaria gracilis* (Gracilariales, Rhodophyta) from north-eastern Sicily (Italy)
M. Polifrone, F. De Masi and G.M. Gargiulo (Messina, Italy) 1003
- Ozonation of seawater improves the survival of larval southern rock lobster, *Jasus edwardsii*, in culture from egg to juvenile
A.J. Ritar, G.G. Smith and C.W. Thomas (Taroona, Tasmania Australia) 1014
- In situ* studies on the bioaccumulation of microcystins in the phytoplanktivorous silver carp (*Hypophthalmichthys molitrix*) stocked in Lake Taihu with dense toxic *Microcystis* blooms
J. Chen, P. Xie, D. Zhang, Z. Ke and H. Yang (Wuhan, PR China) 1026
- "Summer syndrome" in *Litopenaeus stylirostris* grow out ponds in New Caledonia: Zootechnical and environmental factors
H. Lemonnier (Nouméa Cedex, New Caledonia; L'Houmeau, France), A. Herbland, L. Salery and B. Soulard (Nouméa Cedex, New Caledonia) 1039
- Co-occurrence of white shrimp, *Litopenaeus vannamei*, mortalities and microcystin toxin in a southeastern USA shrimp facility
P.V. Zimba, A. Camus (Stoneville, MS, USA), E.H. Allen and J.M. Burkholder (Raleigh, NC, USA) 1048
- Loss of genetic diversity due to hatchery culture practices in barramundi (*Lates calcarifer*)
L.A. Frost, B.S. Evans and D.R. Jerry (Townsville, Queensland, Australia) 1056
- Effects of silver carp and small indigenous species on pond ecology and carp polycultures in Bangladesh
A. Kadir, R.S. Kundu (Mymensingh, Bangladesh), A. Milstein (M.P. Hof HaCarmel, Israel) and M.A. Wahab (Mymensingh, Bangladesh) 1065
- Nutrition**
- Replacement of a large portion of fish oil by vegetable oils does not affect lipogenesis, lipid transport and tissue lipid uptake in European seabass (*Dicentrarchus labrax* L.)
N. Richard (Saint Pée-sur-Nivelle, France), G. Mourente (Puerto Real (Cádiz), Spain), S. Kaushik and G. Corraze (Saint Pée-sur-Nivelle, France) 1077

Evaluation of β -(1 \rightarrow 3, 1 \rightarrow 6)-glucans and High-M alginate used as immunostimulatory dietary supplement during first feeding and weaning of Atlantic cod (<i>Gadus morhua</i> L.)	
J. Skjermo, T.R. Størseth, K. Hansen, A. Handå and G. Øie (Trondheim, Norway)	1088
Inclusion of size fractionated fish hydrolysate in high plant protein diets for Atlantic cod, <i>Gadus morhua</i>	
A. Aksnes, B. Hope, Ø. Høstmark and S. Albrektsen (Bergen, Norway)	1102

VOL. 261 NO. 4

11 December 2006

Diseases

Breakpoints for disc diffusion susceptibility testing of bacteria associated with fish diseases: A review of current practice	
P. Smith (Galway, Ireland)	1113
Comparison of dot blot and PCR diagnostic techniques for detection of white spot syndrome virus in different tissues of <i>Penaeus monodon</i>	
M.S. Shekhar, I.S. Azad and P. Ravichandran (Chennai, India)	1122
Study on the distribution and expression of a DNA vaccine against lymphocystis disease virus in Japanese flounder (<i>Paralichthys olivaceus</i>)	
F.-R. Zheng, X.-Q. Sun (Qingdao, China), H.-Z. Liu (Weihai, China) and J.-X. Zhang (Qingdao, China)	1128
Comparison of diagnosis techniques for the protozoan parasite <i>Bonamia ostreae</i> in flat oyster <i>Ostrea edulis</i>	
P. Balseiro, R.F. Conchas, J. Montes, J. Gómez-León, B. Novoa and A. Figueras (Pontevedra, Spain)	1135
Preparation of monoclonal antibody against <i>Macrobrachium rosenbergii</i> Nodavirus and application of TAS-ELISA for virus diagnosis in post-larvae hatcheries in east China during 2000–2004	
D. Qian (Hangzhou, Huzhou, China) W. Liu (Huzhou, China), W. Jianxiang and L. Yu (Hangzhou, China)	1144
Oxytetracycline (OTC) uptake following bath treatment in gilthead sea bream (<i>Sparus aurata</i>)	
G. Rigos, I. Nengas and M. Alexis (Attiki, Greece)	1151
Bacterial flora associated with the giant freshwater prawn <i>Macrobrachium rosenbergii</i> , in the hatchery system	
B. Kennedy, M.N. Venugopal, I. Karunasagar and I. Karunasagar (Mangalore, India)	1156
Effect of dose escalation on multiple dose pharmacokinetics of orally administered praziquantel in kingfish <i>Seriola lalandi</i>	
L.A. Tubbs and M.D. Tingle (Auckland, New Zealand)	1168
Live vaccine trials against nocardiosis in yellowtail <i>Seriola quinqueradiata</i>	
T. Itano, H. Kawakami (Ehime, Japan), T. Kono and M. Sakai (Miyazaki, Japan)	1175
Studies on the rotifer (<i>Brachionus urceus</i> Linnaeus, 1758) as a vector in white spot syndrome virus (WSSV) transmission	
J.-S. Zhang, S.-L. Dong, X.-L. Tian, Y.-W. Dong, (Qingdao, PR China) X.-Y. Liu (Qingdao, Rizhao, PR China) and D.-C. Yan (Yantai, PR China)	1181

Genetics

Molecular identification and expression analysis of the natural killer cell enhancing factor (NKEF) gene from turbot (<i>Scophthalmus maximus</i>)	
Y. Chen, Y.-X. Zhang, T.-J. Fan, L. Meng, G.-c. Ren (Qingdao, China) and S.-L. Chen (Qingdao, Shanghai, China)	1186
A microsatellite marker tool for parentage analysis in Senegal sole (<i>Solea senegalensis</i>): Genotyping errors, null alleles and conformance to theoretical assumptions	
J. Castro, A. Pino, M. Herrida, C. Bouza (Lugo, Spain), A. Riaza, I. Ferreira, (A Coruña, Spain) L. Sánchez and P. Martínez (Lugo, Spain)	1194

Husbandry and Management

Cryopreservation of dead fish spermatozoa several hours after death of Indian major carp, <i>Labeo rohita</i> and its successful utilization in fish production	
P. Routray, A.K. Choudhary, S.N. Dash, D.K. Verma, C. Dash, P. Swain, J.K. Jena, S.D. Gupta and N. Sarangi (Orissa, India)	1204
Growth variation and fin damage in Atlantic cod (<i>Gadus morhua</i> L.) fed at graded levels of feed restriction	
B. Hatlen, B. Grisdale-Helland and S.J. Helland (CoE, Norway)	1212
Sexual dimorphism of fast muscle fibre recruitment in farmed Atlantic halibut (<i>Hippoglossus hippoglossus</i> L.)	
Ø. Hagen (Scotland, UK; Bodo, Norway), C. Solberg (Bodo, Norway) and I.A. Johnston (Scotland, UK)	1222
The sex-ratio reversal of the Japanese eel <i>Anguilla japonica</i> in the Kaoping River of Taiwan: The effect of cultured eels and its implication	
Y.-W. Chu, Y.-S. Han, C.-H. Wang (Taipei, Taiwan), C.-F. You (Tainan, Taiwan) and W.-N. Tzeng (Taipei, Taiwan)	1230
Molasses as C source for heterotrophic bacteria production on solid fish waste	
O. Schneider, V. Sereti, E.H. Eding and J.A.J. Verreth (AH Wageningen, The Netherlands)	1239

Productivity improvement of <i>Lysmata seticaudata</i> (Risso, 1816) larval rearing protocol through modelling J. Figueiredo and L. Narciso (Cascais, Portugal)	1249
Characterisation of the environmental impact of a turbot (<i>Scophthalmus maximus</i>) re-circulating production system using Life Cycle Assessment J. Aubin (Rennes cedex, France), E. Papatryphon (Sevilla, Spain), H.M.G. Van der Werf, J. Petit (Rennes cedex, France) and Y.M. Morvan (Tredarzac, France)	1259
Effects of dietary carotenoid on the gut and the gonad of the sea urchin <i>Paracentrotus lividus</i> M. Shpigel (Eilat, Israel), S.C. Schlosser (California, USA), A. Ben-Amotz (Haifa, Israel), A.L. Lawrence (TX, USA) and J.M. Lawrence (FL, USA)	1269
Estimating clam yield potential in the Sacca di Goro lagoon (Italy) by using a two-part conditional model S. Vincenzi (Parma, Italy), G. Caramori, R. Rossi (Ferrara, Italy) and G.A. De Leo (Parma, Italy)	1281
Effect of nitrite on larval development of giant river prawn <i>Macrobrachium rosenbergii</i> M. Mallasen and W.C. Valenti (SP, Brazil)	1292
Microinjection of the antifreeze protein type III (AFPIII) in turbot (<i>Scophthalmus maximus</i>) embryos: Toxicity and protein distribution V. Robles, E. Cabrita (Faro, Portugal), L. Anel and M.P. Herráez (León, Spain)	1299
Nutrition	
Effect of replacing fish meal with soybean meal on growth, feed utilization and carcass composition of cuneate drum (<i>Nibea mitchthioides</i>) Y. Wang, L.-J. Kong, C. Li (Shanghai, China) and D.P. Bureau (Ontario, Canada)	1307
Apparent protein and energy digestibility of common and alternative feed ingredients by Atlantic cod, <i>Gadus morhua</i> (Linnaeus, 1758) S.M. Tibbetts, J.E. Milley and S.P. Lall (Nova Scotia, Canada)	1314
The effects of supplemental dietary cholesterol on growth, development and survival of mud crab, <i>Scylla serrata</i> , megalopa fed semi-purified diets M.-H. Holme, C. Zeng and P.C. Southgate (Queensland, Australia)	1328
Low feed pellet water stability and fluctuating water salinity cause separation and accumulation of dietary oil in the stomach of rainbow trout (<i>Oncorhynchus mykiss</i>) G. Baeverfjord (Sunndalsøra, Norway), S. Refstie (Sunndalsøra, CoE, Norway), P. Krogedal (Dirdal, Norway) and T. Åsgård (Sunndalsøra, Norway)	1335
Assessment of nitrogen maintenance requirement and potential for protein deposition in juvenile Tilapia genotypes by application of an exponential nitrogen utilization model F. Liebert, A. Sünder and K. Mohamed (Goettingen, Germany)	1346
Successful culture of larvae of <i>Litopenaeus vannamei</i> fed a microbound formulated diet exclusively from either stage PZ2 or M1 to PL1 L.R. D'Abramo (Mississippi State, USA), E. Isirdia Perez (Nayarit, Mexico), R. Sangha and A. Puella-Cruz (Sinaloa, Mexico)	1356
Replacement of fish meal with wheat gluten in diets for Atlantic halibut (<i>Hippoglossus hippoglossus</i>): Effect on whole-body amino acid concentrations S.J. Helland and B. Grisdale-Helland (Sunndalsøra, CoE, Norway)	1363
Diet energy source affects lysine utilization for protein deposition in rainbow trout (<i>Oncorhynchus mykiss</i>) P. Encarnação, C. de Lange and D.P. Bureau (Ontario, Canada)	1371
Digestive function and intestinal integrity in Atlantic salmon (<i>Salmo salar</i>) fed kernel meals and protein concentrates made from yellow or narrow-leaved lupins S. Refstie (CoE, Sunndalsøra, Norway), B. Glencross (WA, Australia), T. Landsverk (CoE, Oslo, Norway), M. Sorensen (CoE, Sunndalsøra, Norway), E. Lilleeng (CoE, Oslo, Norway), W. Hawkins (WA, Australia) and Å. Krogdahl (CoE, Oslo, Norway)	1382
Physiology and Endocrinology	
Effects of Na^+/K^+ and $\text{Mg}^{2+}/\text{Ca}^{2+}$ ratios in saline groundwaters on Na^+/K^+ -ATPase activity, survival and growth of <i>Marsupenaeus japonicus</i> postlarvae L.-Q. Pan, Z.-H. Luan and C.-X. Jin (Qingdao, China)	1396
Developmental regulation of gastric pepsin and pancreatic serine protease in larvae of the euryhaline teleost, <i>Oreochromis mossambicus</i> M.-J. Lo and C.-F. Weng (Hualien, Taiwan)	1403
Characterisation of cell types in abalone (<i>Haliotis</i> spp.) tissues using immunohistochemical techniques L. Harris, H. Lambkin and N. O'Byrne-Ring (Dublin, Ireland)	1413
Suspension of annual gametogenesis in North American green sea urchins (<i>Strongylocentrotus droebachiensis</i>) experiencing invariant photoperiod—Applications for land-based aquaculture S.A. Böttger (New Hampshire, United States), M.G. Devin (ME, United States) and C.W. Walker (New Hampshire, United States)	1422
Effect of saponin on hematological and immunological parameters of the giant freshwater prawn, <i>Macrobrachium rosenbergii</i> S.-P. Yeh, C.-H. Liu, T.-G. Sung (Taiwan), P.-P. Lee (Taiwan, Republic of China) and W. Cheng (Taiwan, Republic of China)	1432

Early development of the shortfin silverside <i>Chirostoma humboldtianum</i> (Valenciennes, 1835) (Atheriniformes: Atherinopsidae) M.C. Hernández-Rubio, G. Figueroa-Lucero, I.d.I.A. Barriga-Sosa, J.L. Arredondo-Figueroa and T. Castro-Barrera (C.P., Mexico)	1440
Serotonin stimulates ovarian maturation and spawning in the black tiger shrimp <i>Penaeus monodon</i> K. Wongprasert, S. Asuvapongpatana, P. Poltana, M. Tiensuwan and B. Withyachumnarnkul (Bangkok, Thailand)	1447
Contents of <i>Aquaculture</i> , Volume 261	1455

Genetics

- Molecular identification and expression analysis of the natural killer cell enhancing factor (NKEF) gene from turbot (*Scophthalmus maximus*)
Y. Chen, Y.-X. Zhang, T.-J. Fan, L. Meng, G.-c. Ren (Qingdao, China) and S.-L. Chen (Qingdao, Shanghai, China) 1186
- A microsatellite marker tool for parentage analysis in Senegal sole (*Solea senegalensis*): Genotyping errors, null alleles and conformance to theoretical assumptions
J. Castro, A. Pino, M. Hermida, C. Bouza (Lugo, Spain), A. Ríaza, I. Ferreira, (A Coruña, Spain)
L. Sánchez and P. Martínez (Lugo, Spain) 1194

Husbandry and Management

- Cryopreservation of dead fish spermatozoa several hours after death of Indian major carp, *Labeo rohita* and its successful utilization in fish production
P. Routray, A.K. Choudhary, S.N. Dash, D.K. Verma, C. Dash, P. Swain, J.K. Jena, S.D. Gupta and N. Sarangi (Orissa, India) 1204
- Growth variation and fin damage in Atlantic cod (*Gadus morhua* L.) fed at graded levels of feed restriction
B. Hatten, B. Grisdale-Helland and S.J. Helland (CoE, Norway) 1212
- Sexual dimorphism of fast muscle fibre recruitment in farmed Atlantic halibut (*Hippoglossus hippoglossus* L.)
Ø. Hagen (Scotland, UK; Bodo, Norway), C. Solberg (Bodo, Norway) and I.A. Johnston (Scotland, UK) 1222
- The sex-ratio reversal of the Japanese eel *Anguilla japonica* in the Kaoping River of Taiwan: The effect of cultured eels and its implication
Y.-W. Chu, Y.-S. Han, C.-H. Wang (Taipei, Taiwan), C.-F. You (Tainan, Taiwan) and W.-N. Tzeng (Taipei, Taiwan) 1230
- Molasses as C source for heterotrophic bacteria production on solid fish waste
O. Schneider, V. Sereti, E.H. Eding and J.A.J. Verreth (AH Wageningen, The Netherlands) 1239
- Productivity improvement of *Lysemata seticaudata* (Risso, 1816) larval rearing protocol through modelling
J. Figueiredo and L. Narciso (Cascais, Portugal) 1249
- Characterisation of the environmental impact of a turbot (*Scophthalmus maximus*) re-circulating production system using Life Cycle Assessment
J. Aubin (Rennes cedex, France), E. Papatryphon (Sevilla, Spain), H.M.G. Van der Werf, J. Petit (Rennes cedex, France) and Y.M. Morvan (Tredarzac, France) 1259
- Effects of dietary carotenoid on the gut and the gonad of the sea urchin *Paracentrotus lividus*
M. Shpigel (Eilat, Israel), S.C. Schlosser (California, USA), A. Ben-Amotz (Haifa, Israel),
A.L. Lawrence (TX, USA) and J.M. Lawrence (FL, USA) 1269
- Estimating clam yield potential in the Sacca di Goro lagoon (Italy) by using a two-part conditional model
S. Vincenzi (Parma, Italy), G. Caramori, R. Rossi (Ferrara, Italy) and G.A. De Leo (Parma, Italy) 1281
- Effect of nitrite on larval development of giant river prawn *Macrobrachium rosenbergii*
M. Mallasen and W.C. Valenti (SP, Brazil) 1292
- Microinjection of the antifreeze protein type III (AFPIII) in turbot (*Scophthalmus maximus*) embryos: Toxicity and protein distribution
V. Robles, E. Cabrita (Faro, Portugal), L. Anel and M.P. Herráez (León, Spain) 1299

Nutrition

- Effect of replacing fish meal with soybean meal on growth, feed utilization and carcass composition of cuneate drum (*Nibea miichthioides*)
Y. Wang, L.-J. Kong, C. Li (Shanghai, China) and D.P. Bureau (Ontario, Canada) 1307
- Apparent protein and energy digestibility of common and alternative feed ingredients by Atlantic cod, *Gadus morhua* (Linnaeus, 1758)
S.M. Tibbetts, J.E. Milley and S.P. Lall (Nova Scotia, Canada) 1314
- The effects of supplemental dietary cholesterol on growth, development and survival of mud crab, *Scylla serrata*, megalopa fed semi-purified diets
M.-H. Holme, C. Zeng and P.C. Southgate (Queensland, Australia) 1328
- Low feed pellet water stability and fluctuating water salinity cause separation and accumulation of dietary oil in the stomach of rainbow trout (*Oncorhynchus mykiss*)
G. Baeverfjord (Sunndalsøra, Norway), S. Refstie (Sunndalsøra, CoE, Norway), P. Krogedal (Dirdal, Norway) and T. Åsgård (Sunndalsøra, Norway) 1335
- Assessment of nitrogen maintenance requirement and potential for protein deposition in juvenile Tilapia genotypes by application of an exponential nitrogen utilization model
F. Liebert, A. Sinder and K. Mohamed (Goettingen, Germany) 1346

Contents (continued)

Successful culture of larvae of <i>Litopenaeus vannamei</i> fed a microbound formulated diet exclusively from either stage PZ2 or M1 to PL1 L.R. D'Abramo (Mississippi State, USA), E. Isordia Perez (Nayarit, Mexico), R. Sangha and A. Puello-Cruz (Sinaloa, Mexico),	1356
Replacement of fish meal with wheat gluten in diets for Atlantic halibut (<i>Hippoglossus hippoglossus</i>): Effect on whole-body amino acid concentrations S.J. Helland and B. Grisdale-Helland (Sunndalsøra, CoE, Norway)	1363
Diet energy source affects lysine utilization for protein deposition in rainbow trout (<i>Oncorhynchus mykiss</i>) P. Encarnação, C. de Lange and D.P. Bureau (Ontario, Canada)	1371
Digestive function and intestinal integrity in Atlantic salmon (<i>Salmo salar</i>) fed kernel meals and protein concentrates made from yellow or narrow-leaved lupins S. Røfstie (CoE, Sunndalsøra, Norway), B. Glencross (WA, Australia), T. Landsverk (CoE, Oslo, Norway), M. Sørensen (CoE, Sunndalsøra, Norway), E. Lilleeng (CoE, Oslo, Norway), W. Hawkins (WA, Australia) and Å. Krogdahl (CoE, Oslo, Norway)	1382
Physiology and Endocrinology	
Effects of Na^+/K^+ and $\text{Mg}^{2+}/\text{Ca}^{2+}$ ratios in saline groundwaters on Na^+/K^+ -ATPase activity, survival and growth of <i>Marsupenaeus japonicus</i> postlarvae L.-Q. Pan, Z.-H. Luan and C.-X. Jin (Qingdao, China)	1396
Developmental regulation of gastric pepsin and pancreatic serine protease in larvae of the euryhaline teleost, <i>Oreochromis mossambicus</i> M.-J. Lo and C.-F. Weng (Hualien, Taiwan)	1403
Characterisation of cell types in abalone (<i>Haliotis</i> spp.) tissues using immunohistochemical techniques L. Harris, H. Lambkin and N. O'Byrne-Ring (Dublin, Ireland)	1413
Suspension of annual gametogenesis in North American green sea urchins (<i>Strongylocentrotus droebachiensis</i>) experiencing invariant photoperiod—Applications for land-based aquaculture S.A. Böttger (New Hampshire, United States), M.G. Devin (ME, United States) and C.W. Walker (New Hampshire, United States)	1422
Effect of saponin on hematological and immunological parameters of the giant freshwater prawn, <i>Macrobrachium rosenbergii</i> S.-P. Yeh, C.-H. Liu, T.-G. Sung (Pingtung, Taiwan), P.-P. Lee (Taipei, Taiwan) and W. Cheng (Pingtung, Taiwan)	1432
Early development of the shortfin silverside <i>Chirostoma humboldtianum</i> (Valenciennes, 1835) (Atheriniformes: Atherinopsidae) M.C. Hernández-Rubio, G. Figueroa-Lucero, I.d.I.A. Barriga-Sosa, J.L. Arredondo-Figueroa and T. Castro-Barrera (C.P., Mexico)	1440
Serotonin stimulates ovarian maturation and spawning in the black tiger shrimp <i>Penaeus monodon</i> K. Wongprasert, S. Asuvapongpatana, P. Poltana, M. Tiensuwan and B. Withyachumnankul (Bangkok, Thailand)	1447
Contents of Aquaculture, Volume 261	1455



